## Product data sheet





Laser Measure

### GLM 100-25 C



Precise laser measure for easy indoor and outdoor measuring and documenting

#### The most important data

Measurement range	0.080 - 100.000
	m
Laser diode	650 nm, < 1 mW
Weight, approx.	0.23 kg

**Order number** 0 601 072 YK0

## Technical data

#### Additional data

Tripod thread	1/4"
Measurement time, typical	0.5 s
Units of measurement	m/cm, ft/inch
Laser diode	650 nm, < 1 mW
Measurement range	0.080 – 100.000 m
Laser class	2
Measurement accuracy, typical	± 1.5 mm
Measurement range of incline measurement	0 – 360° (4 x 90°)
Measuring accuracy (typical)	± 0.2°
Measurement time, max.	4 s
Power supply	3 x 1.5 V LR6 (AA)
Automatic deactivation	5 min
Weight, approx.	0.23 kg
Memory capacity (values)	50
Dust and splash protection	IP 54
Digital viewfinder	integrated
Data transfer	Bluetooth™ 4.2 Low Energy
Laser colour	Red
Measuring range, up to	100 m

# Invented for life

## Product data sheet

#### Power tools for trade & industry

## Advantages:

- Accurate, 100-m laser measuring thanks to digital camera viewfinder with zoom function
- Large, high-contrast IPS colour display with flip screen ensures optimal reading
- Laser measure connects via Bluetooth for efficient data documentation

















